




LNG Refueling System



LNG Modulo Features





20 best Features of LNG Modulo

- 1. Optimum starting solution for new places, low consumption with later capacity extension feature to serve enlarged fleets
- 2. Fast equipment delivery and factory provided documentation
- 3. In factory fully tested device for plug & play fast and safe commissioning
- 4. Solely 380 V/3x40 A electric connection needs from site
- 5. Increased LNG holding time



- 6. No cool-down time, less then 6 minutes filling time
- 7. Fireproof boundary walls to decrease minimum safety distance requirements
- 8. Able to relocate if needed, what protects the investment
- Horizontal LNG storage tank for compact and transportable design
- 10. Capacity extension ability from 20 m³ to 65 m³ storage to serve enlarged fleet requirement



20 best Features of LNG Modulo

- 11. World first Built-in IPMU, as Integrated Pumping Measuring Unit
- 12. Built-in LNG conditioner system for each temperature requirements
- 13. LNG dispenser unit with smart fuelling functions
- 14. Automation (PLC) control panel & telemetry enables online remote control and communication



- 15. System offered saturated and cold (for Volvo) refueling options
- 16. Integrated fleet-card and driver recognition system
- 17. Smoke & gas leakage detection
- 18. Air preparation unit (dew. point -20°C)
- 19. Fully comply with ATEX, PED and MID regulations
- 20. Hard-wired ESD design